

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	((mobile pda cell\$6) with (pop3 smtp) with address with default)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L2	13	((mobile pda cell\$6) with (pop3 smtp) with address with (default generic automatic))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L3	6	L2 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L4	46	((mobile pda cell\$6) with ((pop3 smtp) near4 address))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L5	12	L4 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L6	2	("20020126708" "20040139204").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L7	50	((mobile pda cell\$6 portable) with ((pop3 smtp) near4 address))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L8	14	L7 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L9	17	((mobile pda cell\$6 portable) same ((pop3 smtp) near4 address) same (default builtin built\$6 generic preconfig\$6 pre-config\$6))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L10	5	L9 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L11	30	((mobile pda cell\$6 portable) and (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59

L12	9	L11 and @ad<"20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L13	98	((mobile pda cell\$6 portable) and (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L14	30	((mobile pda cell\$6 portable) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L15	5	L14 and @ad<"20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L16	30	((mobile pda cell\$6 portable) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L17	30	((mobile pda cell\$6 portable handheld) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L18	30	((mobile pda cell\$6 portable handheld psp pmp) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L19	30	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L20	30	((mobile pda (personal near4 assistant) cell\$6 portable handheld psp pmp (personal near4 player)) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59

L21	99	((mobile pda (personal near4 assistant) cell\$6 portable handheld psp pmp (personal near4 player)) and (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L22	62	((mobile pda (personal near4 assistant) cell\$6 portable handheld psp pmp (personal near4 player)) and (((pop3 smtp) near4 address) near6 (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L23	21	L22 and @ad< "20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L24	3	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) with (((pop3 smtp) near4 address) with (configuration)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L25	0	L24 and @ad< "20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L26	312	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) with ((e-mail email) with (configuration)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L27	34	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) with ((e-mail email) with (configuration) with connection))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L28	3	L27 and @ad< "20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L29	42	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same ((e-mail email) with (configuration) with connection))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L30	4	L29 and @ad< "20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59

L31	190	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same ((e-mail email) with connection)) same (configuration)	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L32	71	L31 and @ad<"20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L33	18	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same ((e-mail email) with account)) same (configuration with connection)	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L34	0	L33 and @ad<"20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L35	35	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same ((e-mail email) with account)) same (configuration same connection)	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L36	3	L35 and @ad<"20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59
L37	14	(US-20020126708-\$ or US-20020122410-\$ or US-20040139204-\$ or US-20020049818-\$ or US-20030078981-\$ or US-20030174167-\$ or US-20020152274-\$ or US-20020046257-\$).did. or (US-6694145-\$ or US-6885861-\$ or US-6930709-\$ or US-7013350-\$ or US-6457879-\$ or US-5978566-\$).did.	US- PGPUB; USPAT	OR	ON	2008/03/27 17:59
L38	5	L37 and (creat\$6 with account)	US- PGPUB; USPAT	OR	ON	2008/03/27 17:59
L39	88	((email e-mail (electronic near messag\$5)) with (creat \$6) with account with exist \$6)	US- PGPUB; USPAT	OR	ON	2008/03/27 17:59
L40	32	L39 and @ad<"20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 17:59

L41	3	((mobile pda cell\$6) with (pop3 smtp) with address with (default generic automatic)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:08
L42	2	41 and (@ad<"20021125" @rlad<"20021125")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:08
L43	7	((mobile pda cell\$6) with ((pop3 smtp) near4 address)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:09
L44	3	43 and (@ad<"20021125" @rlad<"20021125")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:09
L45	7	((mobile pda cell\$6 portable) with ((pop3 smtp) near4 address)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:15
L46	3	45 and (@ad<"20021125" @rlad<"20021125")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:16
L47	1	((mobile pda cell\$6 portable) same ((pop3 smtp) near4 address) same (default builtin built\$6 generic preconfig\$6 pre-config\$6)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:16
L48	0	47 and (@ad<"20021125" @rlad<"20021125")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:16
L49	2	((mobile pda cell\$6 portable) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already))).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:16
L50	0	49 and (@ad<"20021125" @rlad<"20021125")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:16
L51	2	((mobile pda cell\$6 portable handheld) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already))).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:16

L52	0	51 and (@ad<"20021125" @rlad<"20021125")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:17
L53	2	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre- config\$6 stor\$6 already))). clm.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:17
L54	0	53 and (@ad<"20021125" @rlad<"20021125")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:17
L55	2	((mobile pda (personal near4 assistant) cell\$6 portable handheld psp pmp (personal near4 player)) and (((pop3 smtp) near4 address) near6 (default builtin built\$6 generic preconfig\$6 pre- config\$6 stor\$6 already))). clm.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:17
L56	0	55 and (@ad<"20021125" @rlad<"20021125")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:17
L57	3	((((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same ((e-mail email) with connection)) same (configuration)).clm.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:18
L58	0	57 and (@ad<"20021125" @rlad<"20021125")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:18
L59	7	((email e-mail (electronic near messag\$5)) with (creat \$6) with account with exist \$6)).clm.	US- PGPUB; USPAT	OR	ON	2008/03/27 18:18
L60	4	59 and (@ad<"20021125" @rlad<"20021125")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:18
L61	101964	"709"/("206" "218" "229"). ccls.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:18

L62	4	60 and (@ad< "20021125" @rlad< "20021125")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:19
L63	4	62 and (41 43 45 47 49 51 53 55 57 59)	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/27 18:19
S1	13	((mobile pda cell\$6) with (pop3 smtp) with address with default)	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/24 21:07
S2	13	((mobile pda cell\$6) with (pop3 smtp) with address with (default generic automatic))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/24 21:16
S3	6	S2 and @ad< "20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/24 21:16
S4	39	((mobile pda cell\$6) with ((pop3 smtp) near4 address))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/25 13:43
S5	12	S4 and @ad< "20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:20
S6	2	("20020126708" "20040139204").pn.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/25 09:22
S7	43	((mobile pda cell\$6 portable) with ((pop3 smtp) near4 address))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:11
S8	14	S7 and @ad< "20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/25 13:44
S9	12	((mobile pda cell\$6 portable) same ((pop3 smtp) near4 address) same (default builtin built\$6 generic preconfig\$6 pre-config\$6))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:26
S10	5	S9 and @ad< "20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:26

S11	24	((mobile pda cell\$6 portable) and (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:32
S12	8	S11 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:32
S13	86	((mobile pda cell\$6 portable) and (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:32
S14	24	((mobile pda cell\$6 portable) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:33
S15	5	S14 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:38
S16	24	((mobile pda cell\$6 portable) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:33
S17	24	((mobile pda cell\$6 portable handheld psp pmp) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:34
S18	24	((mobile pda cell\$6 portable handheld psp pmp) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:36
S19	24	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:19

S20	24	((mobile pda (personal near4 assistant) cell\$6 portable handheld psp pmp (personal near4 player)) same (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:37
S21	87	((mobile pda (personal near4 assistant) cell\$6 portable handheld psp pmp (personal near4 player)) and (((pop3 smtp) near4 address) with (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:38
S22	53	((mobile pda (personal near4 assistant) cell\$6 portable handheld psp pmp (personal near4 player)) and (((pop3 smtp) near4 address) near6 (default builtin built\$6 generic preconfig\$6 pre-config\$6 stor\$6 already)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:38
S23	18	S22 and @ad<"20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/09/28 15:38
S24	3	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) with (((pop3 smtp) near4 address) with (configuration)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:20
S25	0	S24 and @ad<"20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:21
S26	252	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) with ((e-mail email) with (configuration)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:20
S27	25	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) with ((e-mail email) with (configuration) with connection))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:23
S28	3	S27 and @ad<"20021125"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:23

S29	32	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same ((e-mail email) with (configuration) with connection))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:23
S30	4	S29 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:24
S31	141	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same ((e-mail email) with connection)) same (configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:28
S32	68	S31 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:29
S33	14	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same ((e-mail email) with account)) same (configuration with connection)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:29
S34	0	S33 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:29
S35	28	((mobile pda cell\$6 portable handheld psp pmp (personal near4 player)) same ((e-mail email) with account)) same (configuration same connection)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 08:29
S36	3	S35 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 09:37
S37	14	((US-20020126708-\$ or US-20020122410-\$ or US-20040139204-\$ or US-20020049818-\$ or US-20030078981-\$ or US-20030174167-\$ or US-20020152274-\$ or US-20020046257-\$).did. or (US-6694145-\$ or US-6885861-\$ or US-6930709-\$ or US-7013350-\$ or US-6457879-\$ or US-5978566-\$).did.	US-PGPUB; USPAT	OR	ON	2007/10/01 09:33

S38	5	S37 and (creat\$6 with account)	US-PGPUB; USPAT	OR	ON	2007/10/01 09:35
S39	86	((email e-mail (electronic near messag\$5)) with (creat \$6) with account with exist \$6)	US-PGPUB; USPAT	OR	ON	2007/10/01 09:36
S40	32	S39 and @ad<"20021125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/10/01 09:37

3/ 27/ 08 6:21:57 PM

C:\Documents and Settings\tduong7\My Documents\EAST\Workspaces\10720405 - Method and system for providing easy access to an e-mail account via a mobile communication network.wsp